

TECHNICAL DATA

Wallom3 mobile lift

**LET'S GET
SPECIFIC!**

Share, inspire, have fun!
With CTOUCH by your side.

CTOUCH[®]

Product number

- Wallom3 mobile lift – Black (RAL 9005): Flexible and easy maneuverable lift solution for CTOUCH displays

10080351

Mounting system

- Electrical lift system by Linak[®]
- Floor stand: 4 TENTE wheels, 2 with brake
- Colour lift: Aluminium, black
- Max. weight: 150 kg
- Mains voltage 240V AC, 50Hz

Panel

- Height adjustment: Electrical
- Control panel: Up and down
3 programmable buttons to set your personalized working height
- Lift speed: 15 mm/s – From bottom to top in 25 sec.
- Vesa dimensions:
400 mm (W) x 400 mm (H)
400 mm (W) x 600 mm (H)
600 mm (W) x 400 mm (H)
800 mm (W) x 400 mm (H)
800 mm (W) x 600 mm (H)

Quality & Safety

- TUV Certificate

Warranty

- 5 years warranty based on carry-in (limited warranty on wheels)

Logistic dimensions

- Box size (mm): 1179 (W) x 684 (D) x 278 (H) – 48 kg
- EAN **8719481481636V220712**

About the Wallom3 lift


The Wallom3 owns a high quality solid lift system with a linear actuator of LINAK[®].


- Smooth and soundless lift system
- Robust and strong design
- Lifetime lift (cycle up & down): 10.000

About the Wallom3 castors:

CTOUCH knows that if you choose a mobile lift it should be easy to maneuver the unit. Therefore we chose the state-of-the-art brand castors from TENTE[®], one of the world's best manufacturers wheels and castors. The swivel castors, of which two have a wheel brake:

- Are made of high quality synthetic material
- Turns & rolls smoothly, almost soundless
- Leaves no marks while moving
- Are corrosion protected, for a long life span





Display configurations

Wallom3 mobile lift height positions

	Default bracket	
	bottom display in lowest position	top display in highest position
55 INCH	704	1985
65 INCH	650	2052
70 INCH	713	2181
75 INCH	591	2119
86 INCH	537	2215

Check out www.ctouch.eu for more information.

All rights reserved. CTOUCH products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of CTOUCH Europe B.V. All other product and service names mentioned are the trademarks of their respective owners. All weights and dimensions are approximate. Product specifications are subject to change without prior notification.